

car shooting 111

CAMARA CAR



Tracking vehicle with large load capacity and higher drag.

Prepared with 48mm tubular structure. There is also the option to put both platforms front and behind.

Its height-adjustable pneumatic suspension allows us to be able to load weight without suffering any of the axes for the balance of the vehicle.

Automatic transmission gives us power and suavital from boot to shutdown.

SPEC SHEET



CAMARA CAR FORD

FORD F-250 XLT SUPER DUTY

ENGINE

FORD MOTOR (G) 54L V8 5.408cm³

DRIVE

AWD

CHANGE

Automatic

SUSPENSION

Pneumatic suspension

TIRES

LT256/ 70R17 6

INTERCOM

Digital wireless Clearcom system

No. SEATS

5

DIMENSIONS

Lenght	7,81m
Width	2,52m
Height	2,14m
1-2 Axis distance	3,61m
2-3 axle distance	0,95m

WORKING PLATFORMS


Surface rear	4,50m x 2,52m
Platform front	1,20m x 1,00m
Platform rear	2,52m x 1,00m



High load capacity and superior surface space.

DIMENSIONS

Useful surface 2,00m x 5,60m





TOW DOLLY



Designed to tow cars as well as motorcycles or bicycles at a minimum distance from the ground, it allows any rig in its 48mm pipe.

DIMENSIONS

Lenght	3,12m
Width Exterior	2,54m
Height	0,78m
Width Interior Hero Car/Moto	2,08m
Length Platform	0,80m